

COLI-SEPT

Oral Liquid

Composition: each 1 ml contains :

Flumequine 200 mg

Description:

Flumequine is a quinolone derivative with bactericidal action against mainly gram-negative bacteria. After oral administration Flumequine is absorbed quickly and after two hours maximum plasma concentrations are obtained.

Indications:

Gastrointestinal, respiratory and urinary tract infections caused by flumequine sensitive micro-organisms, like Campylobacter, E. coli, Haemophilus, Pasteurella and Salmonella ., in calves, sheep, goats and poultry.

Contraindications:

- Hypersensitivity to Flumequine
- Animals with hepatic or renal failure

Side effects:

Hypersensitivity reactions.

Interactions:

Avoid administration with Trimethoprim, Phenylbutazon and Vitamin A.

Usage:

Oral With Drinking Water

Dosage:

Poultry: 100-200 ml for 200 liter of water for 3-5 days

Calves, Sheep, Goats: 10 ml per 75 kg body weight twice daily for 3 - 5 days

Withdrawal period:

Ruminants: Meat: 7 days

Poultry: Meat: 3days. Eggs:2 days

Storage conditions:

Store in airtight containers, in a moderate temperature (15-25 C) and protect from direct sunlight .

Packing: Bottle of 1 Liter and 100 ml .