

ENROLAN C

Oral Liquid

Composition: each 1 ml contains

Tylosin Tartrate 48 mg

Enrofloxacin 80 mg

Vitamin C 80 g

Description:

Tylosin belongs to macrolides antibiotic with bacteriostatic action against (mainly Gram-positive) bacteria like Campylobacter, Mycoplasma, Pasteurella, Staphylococcus, Streptococcus and Treponema

Enrofloxacin belongs to the group of fluoroquinolones and acts bactericidal against both gram-positive bacteria and gram-negative bacteria. It is also active against Mycoplasmas.

Vitamin C helps the growth of the tissues in all the parts of the body and repair the tissue. It affects the overall healing capacity of the body, it is also an important anti-oxidant that stops the harm of the body.

Indications:

Poultry: Mycoplasmosis, coryza, E-coli infections, bronchitis and CRD.

Ruminants: bronchitis, Pneumonia, uro-genital infection and foot rot

Usage:

Oral with Drinking Water

Dosage:

Poultry: 1 ml per 1 liter of drinking water for 3 days

Cattle: 5 ml per 50 kg body weight for 3 days

Sheep: 1 ml per 10 kg body weight for 3 days

Withdrawal period:

Poultry: Meat: 5 days Eggs: 5 days

Ruminants: Meat: 21 days Milk: 5 days

Storage conditions:

Store in airtight containers, in a moderate temperature (15-25 C) and protect from direct sunlight.

Packing:

Bottle of 1 Liter and 500 ml.