PERALGINE LIQUID

Oral Liquid

Composition: each 1 ml contains:

Dipyrone 250 mg Vitamin C 100 mg

Description:

Dipyrone is a nonsteroidal anti-inflammatory drug. The mechanism of action of dipyrone is thought to be similar to that of other NSAIDs: inhibition of the production of prostaglandins. It is commonly used in the horse as an antipyretic, analgesic, and anti-inflammatory.

Vitamin C is as an antioxidant which is needed for proper operation of several physiological functions.

Indications:

Peralgine Liquid is indicated as antipyretic, sedative, anti-colic, anti-spasmodic and in cases of arthritis in cattle and sheep.

It is also indicated for Gumboro in Poultry .

Usage:

Oral With Drinking Water

Dosage:

Cattle: 15 ml per animal, twice daily for 2 days. Sheep: 2 – 3 ml per animal, twice for 2 days.

Poultry: 100 ml per 200 liter of drinking water for 4 – 5 days.

Withdrawal period:

Cattle and sheep: Meat: 10 days Milk: 4 days

Poultry: Meat: 7 days Eggs: 4 days

Storage conditions:

Store in airtight containers, in a moderate temperature (15-25 C) and

protect from direct sunlight.

Packing: Bottle of 1 liter, 500 ml and 100 ml.