

SULPHAPRIM

Water Soluble Powder

Composition :

Each sachet of 100 g contains:

Sulphadiazine Sodium	20 g
Trimethoprim	5 g

Description :

The combination of Trimethoprim and Sulphadiazine acts synergistically against a large number of gram-positive and gram-negative bacteria . After oral administration, there will be a rapid absorption of both components from the gastrointestinal tract.

Indications :

Gastrointestinal and respiratory infections caused by trimethoprim and sulfadiazine sensitive micro-organisms, like E. coli, Haemophilus, Pasteurella, Salmonella, Staphylococcus and Streptococcus., in camel, cattle, sheep, goat and poultry .

Contraindication :

- hypersensitivity to trimethoprim and/or sulphonamides.
- animals with a renal and/or hepatic failure .

Side effects :

- hypersensitivity reaction .
- after long-term treatment and high dosages crystalluria can occur.

Usage :

Oral with drinking water

Dosage :

Camel and cattle : 15 g per 100 kg body weight for 3-5 days

Sheep and goats : 5 g per animal for 3-5 days

Poultry : 100 g per 200 liters of drinking water for 3-5 days.

Withdrawal Period :

Poultry : Meat :3 days Eggs : 3 days

Ruminant : Meat : 8 days Milk : 3 days

Storage conditions :

Store in airtight containers, in a moderate temperature (15-25 C) and protect from direct sunlight .

Packing :

Sachet of 100 g .